


### **BPW AGRO Integrated sensors**

## RELIABLE OPERATION FOR SOLID AXLES



# THE USUAL SIGNAL STABILITY NOW FOR AXLES WITH SOLID AXLE BEAM

BPW provides a solid basis for farmers to enable them to take advantage of technological progress. The sensors, that collect the data, are placed inside the drum therefor they are protected from environmental impacts. The ABS sensors guarantee short braking distance, good stability and steering properties for the tractor and its trailer. The SDS\* is an important element of the electronic forced steering systems and the sensor signal can also be used to optimize spreading rate.



#### BENEFITS FOR VEHICLE MANUFACTURERS

- EU conformity (ABS)
- Speed measurement from just 1 km/h (SDS)
- \_\_ Determines the direction of the rotation (SDS)
- Compatible with conventional force-steering systems (SDS)
- Complete detection through separate channels: speed and direction of rotation (SDS)
- Unique signal through digital output (SDS)
- No additional assembly effort, because the axles can be ordered with fully integrated sensors

#### **BENEFITS FOR THE END USERS**

- Highway compliance (ABS)
- Optional spreading rate adjustment (SDS)
- Optimal service life (ABS-SDS)
- Special protection design for sensors against dirt, water and mud: uninterrupted and reliable sensor signal
- Reduced tire wear, as heavy braking is carried out without blocking wheels

#### **OPTIONS**

| Axle type | Brake (mm) | Axle cross section (mm) | Pole wheel | Sensor    |
|-----------|------------|-------------------------|------------|-----------|
| GS 7000   | 400x80     | 80                      | 80         | ABS / SDS |
| GS 7000   | 400x80     | 90                      | 80         | ABS / SDS |
| GS 7000   | 340x110    | 80                      | 80         | ABS / SDS |
| GS 7000   | 340x110    | 90                      | 80         | ABS / SDS |
| GS 8000   | 400x80     | 90                      | 100        | ABS / SDS |
| GS 8000   | 400x80     | 100                     | 100        | ABS / SDS |
| GS 9000   | 340x110    | 110x14                  | 100        | ABS / SDS |
| GS 9000   | 400x120    | 110x14                  | 100        | ABS / SDS |
| GS 11000  | 400x120    | 120×10(15)              | 100        | ABS / SDS |

GSLM 7000 or GSLA 9000 Steering axle with ABS/SDS on request.

#### The brands of the BPW Group:









